



Attorney's Docket 061069-0282739  
Client Reference: SPO-2467

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re PATENT APPLICATION of:  
HIROYA FUKUYAMA

Confirmation Number: 1707

Application No.: 09/917,839

Group Art Unit: 2872

Filed: July 31, 2001

Examiner: Lee A. Fineman

For: MICROSCOPE SYSTEM

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**AMENDMENT/RESPONSE TRANSMITTAL**

Transmitted herewith is an amendment/response for this application.

**FEES**


The fee for claims and extension of time (37 C.F.R. 1.16 and 1.17) has been calculated as shown below:

	CLAIMS REMAINING AFTER AMENDMENT	HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDIT. FEE
TOTAL	19	- 20	= 0	x \$ 18.00	= \$ 0.00
INDEP.	3	- 3	= 0	x \$ 84.00	= \$ 0.00
FIRST PRESENTATION OF MULTIPLE DEP. CLAIM			+	\$ 280.00	= \$ 0.00
TOTAL ADDITIONAL CLAIM FEE					\$ 0.00
GRAND TOTAL					\$ 0.00

**FEE PAYMENT**

Authorization is hereby made to charge the amount of \$0.00 to Deposit Account No. 033975. Charge any additional fees required by this paper or credit any overpayment in the manner authorized above. A duplicate of this paper is attached.

Date: July 17, 2003  
PILLSBURY WINTHROP LLP  
P.O. Box 10500  
McLean, VA 22102  
(202) 775-9832

  
HENRY J. DALEY  
Reg. No. 42459

RECEIVED  
JUL 18 2003  
TECHNOLOGY CENTER 2800